



Bobcat


One Tough Animal

TELESCOPIC LOADERS

RECYCLING & WASTE MANAGEMENT

R-Series

🌐 Europe



TACKLE WASTE HEAD-ON WITH BOBCAT R-SERIES TELEHANDLERS

Bobcat's R-Series Telehandlers blend dependable, robust machinery with precision controls, unmatched comfort, and seamless operation - allowing them to excel at any job you throw at them!

At Bobcat, we understand the importance of having the right products and services. For more information, contact your local dealer or visit: www.bobcat.com.



MAIN SPECIFICATIONS

MAIN SPECIFICATIONS				
	TL35.70	TL34.65HF	TL38.70HF	TL43.80HF
Lifting capacity (kg)	3 500	3 400	3 800	4 300
Lifting height (mm)	6 975	6 415	6 975	7 505
Outreach (mm)	3 915	3 282	3 915	4 022
Engine power (ch)	100		130	
Hydraulic output (l/min)	100		190	

STANDARD EQUIPMENT

STANDARD EQUIPMENT		STANDARD EQUIPMENT	
Extra-large boom head	✓	Wide choice of Bobcat attachments	✓
Quick couplers with integrated pressure-release system	✓	Patented ROPS/FOPS level 2 cab	✓
High-tensile steel boom	✓	Auto parking brake	✓
Boom cushioning (min & max angle, retraction)	✓	ECO mode	✓
Protected hydraulic cylinders	✓	Wide choice of industrial tires and puncture-free solid tires	✓
Box-welded frame	✓	Heavy-duty axles with LSD	✓
Shielded bottom frame	✓	Smooth and precise Variable transmission	✓

WASTE EXPERT FEATURES

WASTE EXPERT FEATURES		WASTE EXPERT FEATURES	
Tilt cylinder protective flap	✓	Protective grill for windshield and roof	✓
Protective rubber blades on the inner boom	✓	FNR on joystick and wheel lever	✓
Extinguisher in the cab	✓	Reversing fan	✓
White noise backup alarm	✓	Steel protection of road & work lights	✓
Additional steel tank protections	✓		

KEY FEATURES

LEVEL UP

Sturdy, efficient, and remarkably easy to operate, these key features have made R-Series Telehandlers renowned in the market and indispensable for intensive industrial applications. For optimal performance in demanding waste management conditions, pair the Telehandler with Bobcat's Waste Expert features.



Certain specifications are based on engineering calculations and are not actual measurements. Specifications are provided for comparison purposes only and are subject to change without notice. Specifications for your individual Bobcat equipment will vary based on normal variations in design, manufacturing, operating conditions, and other factors. Pictures of Bobcat units may show other than standard equipment.

*Standard | Waste Expert

FINANCING OPTIONS

24, 36, OR 48-MONTH FINANCING*

Take advantage of 24, 36, or 48-month financing programs starting from **0% interest** and improve your cashflow.

Ask your dealer for the financing offers available.


340 MACHINES / **150** ATTACHMENT FAMILIES / **1** TOUGH ANIMAL



**SKID-STEER
LOADERS**



**COMPACT TRACK
LOADERS**




**COMPACT WHEEL
LOADERS**




**COMPACT
EXCAVATORS**



FORKLIFTS




TELEHANDLERS



ROTARY TELEHANDLERS



**WAREHOUSE
EQUIPMENT**



GENERATORS



**AIR
COMPRESSORS**



**LIGHT COMPACTION
EQUIPMENT**




**COMPACT
TRACTORS**



**MINI TRACK
LOADER**



MOWERS



ATTACHMENTS

DOOSAN

Bobcat is a Doosan Company. Doosan is a global leader in construction equipment, power & water solutions, engines, and engineering proudly serving customers and communities for more than a century. | Bobcat and the Bobcat logo are registered trademarks of Bobcat Company in the United States and various other countries. ©2024 Bobcat Company. All Rights Reserved.

*Financing options may vary by country and dealer. Always ask your dealer about currently available financing options. Terms and conditions may apply.

Doosan Bobcat EMEA, U Kodelky 1810, 263 12 Dobříš, Czech Republic



Bobcat